

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Issue date: 27/03/2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Product name Oven & Grill Cleaner

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : Oven & Grill Cleaner

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Frasers Aerospace 1 St James Rd Brentwood, Essex CM14 4LH UK

T +44 (0) 2085 978 781 contact@frasersaerospace.com

1.4. Emergency telephone number

Emergency number : +44 (0) 2085 978 781 (9am to 5pm)

Country	Organisation/Company	Address	Emergency number	Comment
United Kingdom	NHS 111/NHS 24/NHS Direct		111 0845 4647	or call a doctor

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

H315 Skin corrosion/irritation, Category 2 H318 Serious eye damage/eye irritation, Category 1

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Causes severe skin burns and eye damage. Presents no particular risk to the environment.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)



GHS05

Signal word (CLP)

: Danger

: Sodium Hydroxide; Sodium Silicate; C08-10 Alkyl glucoside Contains

Hazard statements (CLP) : H315 - Causes skin irritation.

H318 - Causes serious eye damage.

Precautionary statements (CLP) : P264 - Wash hands thoroughly after handling.

P280 - Wear eye protection.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

P302+P352 - IF ON SKIN: Wash with plenty of water.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P315 - Get immediate medical advice/attention.

P332+P313 - If skin irritation occurs: Get medical advice/attention.

2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII
This mixture is not considered to be persistent, bioaccumulating and toxic (PBT)
Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

Component	
Sodium Hydroxide (1310-73-2)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

Component	
Sodium Hydroxide(1310-73-2)	The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Sodium Silicate	CAS-No.: 1344-09-8 EC-No.: 215-687-4	≥1-<5	Skin Corr. 1, H314 Eye Dam. 1, H318
Tetrasodium Pyrophosphate	CAS-No.: 7320-34-5 EC-No.: 230-785-7	≥ 1 – < 5	Eye Irrit. 2, H319
C08-10 Alkyl glucoside	CAS-No.: 68515-73-1 EC-No.: 500-220-1 REACH-no: 01-2119488530- 36-XXXX	≥1-<5	Eye Dam. 1, H318
Sodium Hydroxide	CAS-No.: 1310-73-2 EC-No.: 215-185-5 EC Index-No.: 011-002-00-6	≥1-<5	Met. Corr. 1, H290 Skin Corr. 1A, H314

Specific concentration limits:		
Name	Product identifier	Specific concentration limits
C08-10 Alkyl glucoside	CAS-No.: 68515-73-1 EC-No.: 500-220-1 REACH-no: 01-2119488530- 36-XXXX	(3 ≤C < 9.99) Eye Irrit. 2, H319 (10 ≤C < 100) Eye Dam. 1, H318

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Specific concentration limits:		
Name	Product identifier	Specific concentration limits
Sodium Hydroxide		(0.5 ≤C < 2) Skin Irrit. 2, H315 (0.5 ≤C < 2) Eye Irrit. 2, H319 (2 ≤C < 5) Skin Corr. 1B, H314 (5 ≤C ≤ 100) Skin Corr. 1A, H314

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : If you feel unwell, seek medical advice (show the label where possible). First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water. If skin irritation occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. Get immediate medical advice/attention.

First-aid measures after ingestion : Do not induce vomiting. Rinse mouth out with water. Get immediate medical

advice/attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Repeated or prolonged contact may cause skin irritation. Direct contact with the eyes is

likely to be irritating.

Symptoms/effects after inhalation : Inhalation may cause irritation (cough, short breathing, difficulty in breathing).

Symptoms/effects after skin contact : May cause skin irritation.

Symptoms/effects after eye contact : May cause eye irritation. redness, itching, tears. Risk of serious damage to eyes.

Symptoms/effects after ingestion : May cause severe irritation to the digestive tract. Burns to the gastric/intestinal mucosa.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Carbon monoxide. Carbon dioxide. Toxic fumes may be released.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Stop leak if safe to do so. Wash immediately with plenty of water.

6.1.1. For non-emergency personnel

Emergency procedures : Avoid contact with skin, eyes and clothing. When opening containers, avoid breathing

vapours that may be emanating.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Presents no particular risk to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Stop leak without risks if possible.

Methods for cleaning up : Clean contaminated surfaces with an excess of water.

Other information : Small amount of unwanted product may be flushed with water to sewer.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with skin and eyes. When opening containers, avoid breathing vapours that

may be emanating.

Hygiene measures : Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

Incompatible products : Strong alkalis. Incompatible materials : Strong alkalis.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Sodium Hydroxide (1310-73-2)		
United Kingdom - Occupational Exposure Limits		
Local name	Sodium hydroxide	
WEL STEL (OEL STEL)	2 mg/m³	
Remark	Contains no substances with occupational work exposure limits.	
Regulatory reference EH40/2005 (Fourth edition, 2020). HSE		
Tetrasodium Pyrophosphate (7320-34-5)		
United Kingdom - Occupational Exposure Limits		
Local name	Tetrasodium pyrophosphate	
WEL TWA (OEL TWA) [1]	5 mg/m³	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	

8.1.2. Recommended monitoring procedures

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

Sodium Hydroxide (1310-73-2)		
DNEL/DMEL (Workers)		
Long-term - local effects, inhalation	1 mg/m³	
DNEL/DMEL (General population)		
Long-term - local effects, inhalation	1 mg/m³	
Sodium Silicate (1344-09-8)		
DNEL/DMEL (Workers)		
Long-term - systemic effects, dermal	1.59 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	5.61 mg/m³	
DNEL/DMEL (General population)		
Long-term - systemic effects,oral	0.8 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	1.38 mg/m³	
Long-term - systemic effects, dermal	0.8 mg/kg bodyweight/day	
PNEC (Water)		
PNEC aqua (freshwater)	7.5 mg/l	
PNEC aqua (marine water)	1 mg/l	
PNEC aqua (intermittent, freshwater)	7.5 mg/l	
PNEC (STP)		
PNEC sewage treatment plant	348 mg/l	
C08-10 Alkyl glucoside (68515-73-1)		
DNEL/DMEL (Workers)		
Long-term - systemic effects, dermal	595000 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	420 mg/m³	
DNEL/DMEL (General population)		
Long-term - systemic effects,oral	35.7 mg/kg bodyweight/day	
Long-term - systemic effects, inhalation	124 mg/m³	
Long-term - systemic effects, dermal	357000 mg/kg bodyweight/day	
PNEC (Water)		
PNEC aqua (freshwater)	0.176 mg/l	
PNEC aqua (marine water)	0.0176 mg/l	
PNEC aqua (intermittent, freshwater)	0.27 mg/l	
PNEC (Sediment)		
PNEC sediment (freshwater)	1.516 mg/kg dwt	
PNEC sediment (marine water)	0.152 mg/kg dwt	
PNEC (Soil)		
PNEC (Soil)		
PNEC (Soil) PNEC soil	0.654 mg/kg dwt	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

C08-10 Alkyl glucoside (68515-73-1)		
PNEC (Oral)		
PNEC oral (secondary poisoning)	111.11 mg/kg food	
PNEC (STP)		
PNEC sewage treatment plant	PNEC sewage treatment plant 560 mg/l	
Tetrasodium Pyrophosphate (7320-34-5)		
DNEL/DMEL (Workers)		
Long-term - systemic effects, inhalation 17.63 mg/m³		
DNEL/DMEL (General population)		
Long-term - systemic effects, inhalation 4.35 mg/m³		

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Avoid contact with eyes, skin and clothing.

Personal protective equipment symbol(s):





8.2.2.1. Eye and face protection

Eye protection:

Always wash hands after handling the product

8.2.2.2. Skin protection

Skin and body protection:

No special requirement

Hand protection:

In case of repeated or prolonged contact wear gloves. Always wash hands after handling the product

8.2.2.3. Respiratory protection

Respiratory protection:

Not necessary with sufficient ventilation. When opening containers, avoid breathing vapours that may be emanating

8.2.2.4. Thermal hazards

Thermal hazard protection:

Not required.

8.2.3. Environmental exposure controls

Environmental exposure controls:

No special environmental concerns.

Consumer exposure controls:

When opening containers, avoid breathing vapours that may be emanating.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid : Colourless. Colour **Appearance** : Liquid. Odour Odourless. Odour threshold Not available Melting point Not applicable Freezing point Not available Boiling point : Not available Flammability : Not applicable Explosive limits : Not available Lower explosion limit : Not available Upper explosion limit : Not available Flash point : Not available : Not available Auto-ignition temperature : Not available Decomposition temperature : 10 – 11 рΗ Viscosity, kinematic : Not available Solubility : Easily soluble. Partition coefficient n-octanol/water (Log Kow) : Not available Vapour pressure : Not available Vapour pressure at 50°C : Not available Density : Not available Relative density : Not available Relative vapour density at 20°C : Not available Particle characteristics : Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 11: Toxicological information

- Acute Toxic Class Method), Guideline: EU Method B.1 tris (Acute Oral Toxicity - Acute Toxic Class Method) LD50 dermal rabbit > 2000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) Tetrasodium Pyrophosphate (7320-34-5) LD50 oral rat 300 – 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: DECD Guideline 420 (Acute Oral Toxicity - Fixed Dose Method), Guideline: EU Method B.1 bis (Acute Oral Toxicity - Fixed Dose Method), Guideline: EU Method B.1 bis (Acute Oral Toxicity - Fixed Dose Method), Guideline: EU Method B.1 bis (Acute Oral Toxicity - Fixed Dose Method), Guideline: EU Method B.1 bis (Acute Oral Toxicity - Fixed Dose Method), Guideline: DECD Guideline 402 (Acute Dermal Toxicity), Guideline: DECD Guideline 403 (Acute Dermal Toxicity), Guideline: DECD Guideline 403 (Acute Dermal Toxicity), Guideline: EU Method B.3 (Acute Toxicity (Dermal)), Remarks on results: other 402 (Acute Dermal Toxicity) acute 402 (Acute Dermal Toxicity). Guideline: other., Guideline: OECD Guideline 403 (Acute Inhalation - Rat	11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008		
LD50 dermal rat > 5000 mg/kg bodyweight Animal: rat, Guideline: EPA OPPTS 870.1200 (Acute Dermal Toxicity) LC50 Inhalation - Rat > 2.06 mg/l air Animal: rat, Guideline: EPA OPPTS 870.1300 (Acute inhalation toxicity) LC50 ard rat > 2.00 mg/kg bodyweight Animal: rat, Guideline: CECD Guideline 423 (Acute Oral toxici - Acute Toxic Class Method), Guideline: EU Method B.1 tris (Acute Oral Toxicity - Acute Toxic Class Method) LD50 dermal rabbit > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) LD50 dermal rabbit > 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline 402 (Acute Dermal Toxicity) LD50 oral rat 300 - 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline 402 (Acute Dermal Toxicity) LD50 oral rat 300 - 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline 402 (Acute Dermal Toxicity) LD50 oral rat 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: Pixed Dose Procedure), Remarks on seutls: other: LD50 dermal rabbit 2 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: EU Method B.3 (Acute Toxicity (Dermall)), Remarks on results: other: LD50 dermal rabbit 2 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: OECD Guideline 403 (Acute Inhalation - Rat 2 1.1 mg/l air Animal: rat, Guideline: other., Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: other: Guideline: OECD Guideline 403 (Acute Inhalation Toxicity), Guideline: other: Guideline: OECD Guideline 403 (Acute Inhalation Toxicity), Guideline: other: Guideline: OECD Gu	Acute toxicity (dermal) :	Not classified	
LCS0 Inhalation - Rat	Sodium Silicate (1344-09-8)		
C08-10 Alkyl glucoside (68515-73-1)	LD50 dermal rat		
2000 mg/kg bodyweight Animal: rat, Guideline: DECD Guideline 423 (Acute Oral toxici - Acute Toxic Class Method), Guideline: EU Method B.1 tris (Acute Oral Toxicity - Acute Toxic Class Method), Guideline: EU Method B.1 tris (Acute Oral Toxicity - Acute Toxic Class Method), Guideline: DECD Guideline 402 (Acute Dermal Toxicity) 2000 mg/kg bodyweight Animal: rat, Animal: rat, Animal sex: female, Guideline: DECD Guideline 402 (Acute Dermal Toxicity) 2000 mg/kg bodyweight Animal: rat, Animal: rat, Animal sex: female, Guideline: DECD Guideline 420 (Acute Oral Toxicity - Fixed Dose Procedure), Remarks on results: other: 2000 mg/kg bodyweight Animal: rat, Guideline: DECD Guideline 420 (Acute Dermal Toxicity) - Fixed Dose Procedure), Remarks on results: other: 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: EU Method B.3 (Acute Toxicity) (Dermal)), Remarks on results: other: 2000 mg/kg bodyweight Animal: rat, Guideline: other:, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: OECD Guideline 403 (Acute Dermal Toxicity), Guideline: OECD Guideline 403 (Acute Inhalation - Rat	LC50 Inhalation - Rat	> 2.06 mg/l air Animal: rat, Guideline: EPA OPPTS 870.1300 (Acute inhalation toxicity)	
- Acute Toxic Class Method), Guideline: EU Method B.1 tris (Acute Oral Toxicity - Acute Toxic Class Method) LD50 dermal rabbit > 2000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) Tetrasodium Pyrophosphate (7320-34-5) LD50 oral rat 300 – 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: DECD Guideline 420 (Acute Oral Toxicity - Fixed Dose Method), Guideline: EU Method B.1 bis (Acute Oral Toxicity - Fixed Dose Method), Guideline: EU Method B.1 bis (Acute Oral Toxicity - Fixed Dose Method), Guideline: EU Method B.1 bis (Acute Oral Toxicity - Fixed Dose Method), Guideline: EU Method B.3 (Acute Toxicity), Remarks on results: other: LD50 dermal rat > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: EU Method B.3 (Acute Toxicity (Dermal)), Remarks on results: other: LD50 dermal rabbit > 2000 mg/kg bodyweight Animal: rat, Guideline: other., Guideline: OECD Guideline 402 (Acute Dermal Toxicity) LC50 Inhalation - Rat > 1.1 mg/l air Animal: rat, Guideline: other., Guideline: OECD Guideline 403 (Acute Inhalation Toxicity), Guideline: other., Guideline: other., Guideline: other. Skin corrosion/irritation : Causes skin irritation. ph: 10 – 11 Sodium Hydroxide (1310-73-2) ph > 13.5 Concentration: 42 vol%,46 vol%[Serious eye damage/irritation : Causes serious eye damage. ph: 10 – 11 Sodium Hydroxide (1310-73-2) ph > 13.5 Concentration: 42 vol%,46 vol%[Respiratory or skin sensitisation : Not classified Gem cell mutagenicity : Not classified Germ cell mutagenicity : Not classified Germ cell mutagenicity : Not classified Toxicity) Not classified : Not classified Co8-10 Alkyl glucoside (68515-73-1) NOAEL (oral, rat, 90 days)	C08-10 Alkyl glucoside (68515-73-1)		
Toxicity) Tetrasodium Pyrophosphate (7320-34-5) LD50 oral rat 300 – 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: EU Method B.1 bis (Acute Oral Toxicity - Fixed Dose Proceedure), Remarks on results: other: LD50 dermal rat > 2000 mg/kg bodyweight Animal: rat, Guideline: CDCD Guideline: EU Method B.1 bis (Acute Toxicity), Guideline: EU Method B.3 (Acute Toxicity (Dermal)), Remarks on results: other: LD50 dermal rabbit > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: EU Method B.3 (Acute Toxicity (Dermal)), Remarks on results: other LD50 dermal rabbit > 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline: OECD Guideline 402 (Acute Dermal Toxicity) LC50 Inhalation - Rat > 1.1 mg/l air Animal: rat, Guideline: other:, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity), Guideline: other:, Guideline: other: Skin corrosion/irritation : Causes skin irritation. pH: 10 – 11 Sodium Hydroxide (1310-73-2) pH 2 Sodium Silicate (1344-09-8) pH > 13.5 Concentration: 42 vol%,46 vol%[Serious eye damage/irritation Acute Acute	LD50 oral rat		
LD50 oral rat 300 - 2000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 420 (Acute Oral Toxicity - Fixed Dose Method), Guideline: EU Method B.1 bis (Acute Oral Toxicity - Fixed Dose Procedure), Remarks on results: other: 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: EU Method B.3 (Acute Toxicity (Dermal)), Remarks on results: other: 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline OECD Guideline 402 (Acute Dermal Toxicity), Guideline: EU Method B.3 (Acute Toxicity (Dermal)), Remarks on results: other: 402 (Acute Dermal Toxicity), Guideline: OECD Guideline: OECD Guideline OECD Guideline 402 (Acute Dermal Toxicity), Guideline: OECD Guideli	LD50 dermal rabbit	> 2000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)	
Guideline 420 (Acute Oral Toxicity - Fixed Dose Method), Guideline: EU Method B.1 bis (Acute Oral Toxicity - Fixed Dose Procedure), Remarks on results: other:	Tetrasodium Pyrophosphate (7320-34-5)		
Toxicity), Guideline: EÜ Method B.3 (Acute Toxicity (Dermal)), Remarks on results: other LD50 dermal rabbit > 2000 mg/kg bodyweight Animal: rabbit, Guideline: other:, Guideline: OECD Guideline 402 (Acute Dermal Toxicity) LC50 Inhalation - Rat > 1.1 mg/l air Animal: rat, Guideline: other:, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity), Guideline: other:, Guideline: other:, Guideline: other:, Guideline: other:, Guideline: other:, Guideline: other: Skin corrosion/irritation : Causes skin irritation. pH: 10 – 11 Sodium Hydroxide (1310-73-2) pH 2	LD50 oral rat	Guideline 420 (Acute Oral Toxicity - Fixed Dose Method), Guideline: EU Method B.1 bis	
402 (Acute Dermal Toxicity) LC50 Inhalation - Rat > 1.1 mg/l air Animal: rat, Guideline: other:, Guideline: OECD Guideline 403 (Acute Inhalation Toxicity), Guideline: other:, Guideline: other:, Guideline: other: Skin corrosion/irritation : Causes skin irritation. pH: 10 – 11 Sodium Hydroxide (1310-73-2) pH 2 Sodium Silicate (1344-09-8) pH > 13.5 Concentration:]42 vol%, 46 vol%[Serious eye damage/irritation : Causes serious eye damage. pH: 10 – 11 Sodium Hydroxide (1310-73-2) pH 2 Sodium Silicate (1344-09-8) pH 2 Sodium Silicate (1344-09-8) pH > 13.5 Concentration:]42 vol%, 46 vol%[Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified STOT-single exposure : Not classified STOT-single exposure : Not classified CO8-10 Alkyl glucoside (68515-73-1) NOAEL (oral, rat, 90 days) 100 mg/kg bodyweight Animal: rat, Guideline: EU Method B.26 (Sub-Chronic Oral Toxici)	LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), Guideline: EU Method B.3 (Acute Toxicity (Dermal)), Remarks on results: other:	
Inhalation Toxicity), Guideline: other:, Guideline: other: Skin corrosion/irritation	LD50 dermal rabbit		
PH: 10 – 11	LC50 Inhalation - Rat	· · · · · · · · · · · · · · · · · · ·	
Sodium Silicate (1344-09-8) PH	Skin corrosion/irritation :		
Sodium Silicate (1344-09-8) pH	Sodium Hydroxide (1310-73-2)		
pH > 13.5 Concentration:]42 vol%,46 vol%[Serious eye damage/irritation : Causes serious eye damage. pH: 10 – 11 Sodium Hydroxide (1310-73-2) pH 2 Sodium Silicate (1344-09-8) pH > 13.5 Concentration:]42 vol%,46 vol%[Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified C08-10 Alkyl glucoside (68515-73-1) NOAEL (oral, rat, 90 days) 100 mg/kg bodyweight Animal: rat, Guideline: EU Method B.26 (Sub-Chronic Oral Toxicil	рН	2	
Serious eye damage/irritation : Causes serious eye damage. pH: 10 – 11 Sodium Hydroxide (1310-73-2) pH 2 Sodium Silicate (1344-09-8) pH > 13.5 Concentration:]42 vol%,46 vol%[Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified CO8-10 Alkyl glucoside (68515-73-1) NOAEL (oral, rat, 90 days) 100 mg/kg bodyweight Animal: rat, Guideline: EU Method B.26 (Sub-Chronic Oral Toxicia)	Sodium Silicate (1344-09-8)		
pH: 10 – 11 Sodium Hydroxide (1310-73-2) pH	рН	> 13.5 Concentration:]42 vol%,46 vol%[
pH 2 Sodium Silicate (1344-09-8) pH > 13.5 Concentration:]42 vol%,46 vol%[Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified STOT-repeated exposure : Not classified C08-10 Alkyl glucoside (68515-73-1) NOAEL (oral, rat, 90 days) 100 mg/kg bodyweight Animal: rat, Guideline: EU Method B.26 (Sub-Chronic Oral Toxicial)	Serious eye damage/irritation :	, ,	
Sodium Silicate (1344-09-8) pH	Sodium Hydroxide (1310-73-2)		
pH > 13.5 Concentration:]42 vol%,46 vol%[Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified CO8-10 Alkyl glucoside (68515-73-1) NOAEL (oral, rat, 90 days) 100 mg/kg bodyweight Animal: rat, Guideline: EU Method B.26 (Sub-Chronic Oral Toxicia)	рН	2	
Respiratory or skin sensitisation : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified CO8-10 Alkyl glucoside (68515-73-1) NOAEL (oral, rat, 90 days) 100 mg/kg bodyweight Animal: rat, Guideline: EU Method B.26 (Sub-Chronic Oral Toxicial)	Sodium Silicate (1344-09-8)		
Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified C08-10 Alkyl glucoside (68515-73-1) NOAEL (oral, rat, 90 days) 100 mg/kg bodyweight Animal: rat, Guideline: EU Method B.26 (Sub-Chronic Oral Toxicit	рН	> 13.5 Concentration:]42 vol%,46 vol%[
Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified C08-10 Alkyl glucoside (68515-73-1) NOAEL (oral, rat, 90 days) 100 mg/kg bodyweight Animal: rat, Guideline: EU Method B.26 (Sub-Chronic Oral Toxicit	Respiratory or skin sensitisation :	Not classified	
Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified C08-10 Alkyl glucoside (68515-73-1) NOAEL (oral, rat, 90 days) 100 mg/kg bodyweight Animal: rat, Guideline: EU Method B.26 (Sub-Chronic Oral Toxicit		Not classified	
STOT-single exposure : Not classified STOT-repeated exposure : Not classified C08-10 Alkyl glucoside (68515-73-1) NOAEL (oral, rat, 90 days)	Carcinogenicity :	Not classified	
STOT-repeated exposure : Not classified C08-10 Alkyl glucoside (68515-73-1) NOAEL (oral, rat, 90 days) 100 mg/kg bodyweight Animal: rat, Guideline: EU Method B.26 (Sub-Chronic Oral Toxicit			
C08-10 Alkyl glucoside (68515-73-1) NOAEL (oral, rat, 90 days) 100 mg/kg bodyweight Animal: rat, Guideline: EU Method B.26 (Sub-Chronic Oral Toxicit			
NOAEL (oral, rat, 90 days) 100 mg/kg bodyweight Animal: rat, Guideline: EU Method B.26 (Sub-Chronic Oral Toxicit	STOT-repeated exposure :	Not classified	
	C08-10 Alkyl glucoside (68515-73-1)		
Test: Repeated Dose 90-Day Oral Toxicity Study in Rodents)	NOAEL (oral, rat, 90 days)	100 mg/kg bodyweight Animal: rat, Guideline: EU Method B.26 (Sub-Chronic Oral Toxicity Test: Repeated Dose 90-Day Oral Toxicity Study in Rodents)	

27/03/2023 (Issue date) EU - en 8/14

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Tetrasodium Pyrophosphate (7320-34-5)	
NOAEL (oral, rat, 90 days)	500 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity Study in Rodents)
Aspiration hazard	· Not classified

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse

effects in the environment. : Not classified

Hazardous to the aquatic environment, short-term

Hazardous to the aquatic environment, long-term

(chronic)

: Not classified

(chronic)	
Sodium Hydroxide (1310-73-2)	
EC50 - Crustacea [1]	40.4 mg/l Test organisms (species): Ceriodaphnia sp.
Sodium Silicate (1344-09-8)	
LC50 - Fish [1]	1108 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	1700 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	207 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
EC50 72h - Algae [2]	> 345.4 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
C08-10 Alkyl glucoside (68515-73-1)	
LC50 - Fish [1]	100.81 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
LC50 - Fish [2]	170 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	> 100 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	27.22 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
EC50 72h - Algae [2]	37 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
Tetrasodium Pyrophosphate (7320-34-5	i)
LC50 - Fish [1]	> 100 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 - Crustacea [1]	> 100 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	> 100 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)

12.2. Persistence and degradability

Oven & Grill Cleaner	
Persistence and degradability	Readily biodegradable.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Sodium Hydroxide (1310-73-2)	
Persistence and degradability	Readily biodegradable.
12.3. Bioaccumulative potential	
Oven & Grill Cleaner	
Bioaccumulative potential	The product is miscible in water and readily biodegradable in both water and soil. Accumulation is not expected.
Sodium Hydroxide (1310-73-2)	
Bioaccumulative potential	The product is miscible in water and readily biodegradable in both water and soil.

Accumulation is not expected.

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

Oven & Grill Cleaner	
This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII	
This mixture is not considered to be persistent, bioaccumulating and toxic (PBT)	
Component	
Sodium Hydroxide (1310-73-2)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

12.6. Endocrine disrupting properties

Adverse effects on the environment caused by endocrine disrupting properties

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID number				
UN 1824	UN 1824	Not regulated	UN 1824	UN 1824
14.2. UN proper shipping name				
SODIUM HYDROXIDE SOLUTION	SODIUM HYDROXIDE SOLUTION	Not regulated	SODIUM HYDROXIDE SOLUTION	SODIUM HYDROXIDE SOLUTION

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG	IATA	ADN	RID
Transport document descr	iption		'	
UN 1824 SODIUM HYDROXIDE SOLUTION, 8, III, (E)	UN 1824 SODIUM HYDROXIDE SOLUTION, 8, III	Not regulated	UN 1824 SODIUM HYDROXIDE SOLUTION, 8, III	UN 1824 SODIUM HYDROXIDE SOLUTION, 8, III
14.3. Transport hazard	class(es)			
8	8	Not regulated	8	8
8	8	Not regulated	8	8
14.4. Packing group	14.4. Packing group			
III	III	Not regulated	III	III
14.5. Environmental hazards				
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Not regulated	Dangerous for the environment: No	Dangerous for the environment: No
No supplementary information	n available			

14.6. Special precautions for user

Overland transport

Classification code (ADR) : C5 Special provisions (ADR) : 274 Limited quantities (ADR) : 51 Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Mixed packing provisions (ADR) : MP19 Portable tank and bulk container instructions (ADR) : T4 Portable tank and bulk container special provisions : TP1

(ADR)

Tank code (ADR) : L4BN Tank special provisions (ADR) : TU42 : AT Vehicle for tank carriage Transport category (ADR) 3 : V12 Special provisions for carriage - Packages (ADR) Hazard identification number (Kemler No.) 80

> 80 1824

Tunnel restriction code (ADR) : E EAC code : 2R

Transport by sea

Orange plates

Special provisions (IMDG) : 223 Limited quantities (IMDG) : 5 L Excepted quantities (IMDG) : E1 Packing instructions (IMDG) : P001, LP01 IBC packing instructions (IMDG) : IBC03 Tank instructions (IMDG) : T4 Tank special provisions (IMDG) : TP1 EmS-No. (Fire) : F-A EmS-No. (Spillage) : S-B Stowage category (IMDG) : A Stowage and handling (IMDG) : SW2

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Segregation (IMDG) : SGG18, SG35

Properties and observations (IMDG) : Colourless liquid. Reacts with ammonium salts, evolving ammonia

gas. Causes burns to skin, eyes and mucous membranes. Reacts violently with acids.

Air transport

Not regulated

Inland waterway transport

Classification code (ADN) : C5

Special provisions (ADN) : 274

Limited quantities (ADN) : 5 L

Excepted quantities (ADN) : E1

Carriage permitted (ADN) : T

Equipment required (ADN) : PP, EP

Number of blue cones/lights (ADN) : 0

Rail transport

Classification code (RID) : C5
Special provisions (RID) : 274
Limited quantities (RID) : 5L
Excepted quantities (RID) : E1

Packing instructions (RID) : P001, IBC03, LP01, R001

Mixed packing provisions (RID) : MP19
Portable tank and bulk container instructions (RID) : T4
Portable tank and bulk container special provisions : TP1

(RID)

Tank codes for RID tanks (RID) : L4BN Special provisions for RID tanks (RID) : TU42 Transport category (RID) : 3 Special provisions for carriage – Packages (RID) : W12 Colis express (express parcels) (RID) : CE8 Hazard identification number (RID) : 80

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Abbreviations and ac	Abbreviations and acronyms:		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways		
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road		
ATE	Acute Toxicity Estimate		
BCF	Bioconcentration factor		
BLV	Biological limit value		
BOD	Biochemical oxygen demand (BOD)		
COD	Chemical oxygen demand (COD)		
DMEL	Derived Minimal Effect level		
DNEL	Derived-No Effect Level		
EC-No.	European Community number		
EC50	Median effective concentration		
EN	European Standard		
IARC	International Agency for Research on Cancer		
IATA	International Air Transport Association		
IMDG	International Maritime Dangerous Goods		
LC50	Median lethal concentration		
LD50	Median lethal dose		
LOAEL	Lowest Observed Adverse Effect Level		
NOAEC	No-Observed Adverse Effect Concentration		
NOAEL	No-Observed Adverse Effect Level		
NOEC	No-Observed Effect Concentration		
OECD	Organisation for Economic Co-operation and Development		
OEL	Occupational Exposure Limit		
PBT	Persistent Bioaccumulative Toxic		
PNEC	Predicted No-Effect Concentration		
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail		
SDS	Safety Data Sheet		
STP	Sewage treatment plant		
ThOD	Theoretical oxygen demand (ThOD)		
TLM	Median Tolerance Limit		

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:	
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disrupting properties

Full text of H- and EUH-statements:	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
Met. Corr. 1	Corrosive to metals, Category 1
Skin Corr. 1	Skin corrosion/irritation, Category 1
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2

The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

