Printing date 22.05.2024 Version number 1 Revision: 22.05.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1 Product identifier
- Trade name: Aerozane-BW
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Release agent
- 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

Frasers Aerospace

- · 1 St James Road, Brentwood, Essex, CM14 4LH, United Kingdom. contact@frasersaerospace.com
- · Further information obtainable from: Product safety department
- 1.4 Emergency telephone number:

USA and Canada: 1-800-424-9300 (24 hours)

Outside of USA and Canada: 001-703-527-3887 (24 hours)

SECTION 2: Hazards identification

- 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



Flam. Liq. 2 H225 Highly flammable liquid and vapour.



Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.



Aquatic Acute 1 H400 Very toxic to aquatic life.

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.



Skin Irrit. 2 H315 Causes skin irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms









GHS02 GHS07 GHS08 GHS09

(Contd. on page 2)

(Contd. of page 1)

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 22.05.2024 Version number 1 Revision: 22.05.2024

Trade name: Aerozane-BW

· Signal word Danger

Hazard-determining components of labelling:

heptane

Naphtha (petroleum), heavy alkylate Naphtha (petroleum), light alkylate

Hazard statements

H225 Highly flammable liquid and vapour.

H315 Causes skin irritation.

H336 May cause drowsiness or dizziness.

H304 May be fatal if swallowed and enters airways. H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P321 Specific treatment (see on this label).

P331 Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water

[or shower].

P362+P364 Take off contaminated clothing and wash it before reuse.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

· **PBT:** Not applicable. · **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- 3.2 Chemical characterisation: Mixtures
- **Description:** Mixture of substances listed below with nonhazardous additions.

· Component Information:			
CAS: 142-82-5	heptane	50 – 75%	
EINECS: 205-563-8	 ♦ Flam. Liq. 2, H225; ♦ Asp. Tox. 1, H304; ♦ Aquatic Acute 1, H400; Aquatic Chronic 1, H410; ♦ Skin Irrit. 2, H315; STOT SE 3, H336 		
CAS: 64741-65-7	Naphtha (petroleum), heavy alkylate	≥ 10 - < 25%	
EINECS: 265-067-2	♦ Flam. Liq. 3, H226; ♦ Asp. Tox. 1, H304; Aquatic Chronic 4, H413		
CAS: 64741-66-8	Naphtha (petroleum), light alkylate	≥ 10 - < 20%	
EINECS: 265-068-8	 ♦ Flam. Liq. 2, H225; ♦ Asp. Tox. 1, H304; ♦ Aquatic Chronic 2, H411; ♦ Skin Irrit. 2, H315; STOT SE 3, H336 		
	Proprietary/Alternative Chemical Name Pending	≤ 2.5%	
	♦ Acute Tox. 4, H302; Acute Tox. 4, H312		

[·] Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.

(Contd. on page 3)

Printing date 22.05.2024 Version number 1 Revision: 22.05.2024

Trade name: Aerozane-BW

(Contd. of page 2)

- · After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- \cdot 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Do not breathe vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

· 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Do not allow to enter sewers/ surface or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

Small spill: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Large spill: Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillage into an effluent treatment plant or proceed as follow. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: See Section 1 for emergency contact information and Section 13 for waste disposal.

· 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Contd. on page 4)

Printing date 22.05.2024 Version number 1 Revision: 22.05.2024

Trade name: Aerozane-BW

See Section 13 for disposal information.

(Contd. of page 3)

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Store in cool, dry place in tightly closed receptacles.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapor or mist. Avoid release to the environment. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

· Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

• 7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Avoid freezing. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

- · Storage:
- Requirements to be met by storerooms and receptacles: Store in a cool location.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Additional information about design of technical facilities: No further data; see section 7.
- · Ingredients with limit values that require monitoring at the workplace:

142-82-5 heptane

WEL | Long-term value: 2085 mg/m³, 500 ppm

- DNELs Limits have not been established for this product or the components used in this product.
- PNECs Limits have not been established for this product or the components used in this product.
- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

Respiratory protection:

If a risk assessment indicates engineering controls are not sufficient to protect worker health or comply with relevant legislation, use an approved respirator. Respirator selection must be based on known or anticipated

(Contd. on page 5)

Version number 1 Printing date 22.05.2024 Revision: 22.05.2024

Trade name: Aerozane-BW

(Contd. of page 4)

exposure levels, the hazards of the product and the safe working limits of the selected respirator. Respirators to be considered for this material include: Half-face filter respirator with Type A filter material. For the European Union, refer to Standardization (CEN) standards EN 136, 140 and 405 for respirator masks and EN 149 and 143 for filter recommendations. In the United States of America, refer to OSHA Respiratory

Protection Standard, 29 CFR 1910.134 and ANSI Z88.2 for respiratory selection, use and maintenance.

Protection of hands:



Hand Protection: Glove suitability depends on the conditions of use. Use gauntlet style gloves if forearms are likely to be exposed. Contact glove manufacturer for appropriate glove selection. Minimally, chemical resistant gloves in accordance with CEN standards EN 420 and EN 374 should be used. Skin Protection: Chemical/oil resistant clothing is recommended.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:



Chemical safety glasses with side shields, goggles or face shield. Do not wear contact lenses.

· **Body protection:** Protective work clothing

SECTION 9: Physical and chemical properties

9.1 Information on		

· General Information

Appearance: Form:

Fluid Colour: Clear Odour: Aliphatic Not determined. · Odour threshold:

Change in condition

· pH-value:

Melting point/freezing point: Undetermined. Initial boiling point and boiling range: 94 - 195 C

< 23 °C · Flash point: · Percentage Volatile 98.55 %

Not determined. · Decomposition temperature:

· Ignition temperature: Product is not selfigniting.

Product is not explosive. However, formation of explosive air/vapour · Explosive properties: mixtures are possible.

Not determined.

· Explosion limits:

Lower: Not determined. Upper: Not determined.

(Contd. on page 6)

Printing date 22.05.2024 Version number 1 Revision: 22.05.2024

Trade name: Aerozane-BW

	(Contd. of page 5		
Oxidising properties	Not determined.		
Vapour pressure at 50 °C:	124 hPa		
Density:	Not determined.		
Relative density	0.714		
Vapour density	Not determined.		
Evaporation rate	Not determined.		
Solubility in / Miscibility with			
water:	Not miscible or difficult to mix.		
Partition coefficient: n-octanol/water:	Not determined.		
Viscosity:	< 15 cps @ 25C		
Dynamic:	Not determined.		
Kinematic:	Not determined.		
9.2 Other information	No further relevant information available.		

SECTION 10: Stability and reactivity

- 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability The product is stable under recommended storage conditions.
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

Stable at environment temperature.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50	values re	levant for (classification:
-----------	-----------	--------------	-----------------

ATE (Acute Toxicity Estimates)			
Oral	LD50	48,220 mg/kg (Rat)	
Dermal	LD50	120,663 mg/kg	

- Primary irritant effect:
- Skin corrosion/irritation

Causes skin irritation.

- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Additional toxicological information:
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure

May cause drowsiness or dizziness.

· STOT-repeated exposure Based on available data, the classification criteria are not met.

(Contd. on page 7)

Printing date 22.05.2024 Version number 1 Revision: 22.05.2024

Trade name: Aerozane-BW

· Aspiration hazard

May be fatal if swallowed and enters airways.

(Contd. of page 6)

SECTION 12: Ecological information

- 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- **Ecotoxical effects:**
- Remark: Very toxic for fish
- Additional ecological information:
- General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Very toxic for aquatic organisms

- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- 13.1 Waste treatment methods
- Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

The classification of the product may meet the criteria for a hazardous waste.

- Uncleaned packaging:
- Recommendation:

The generation of waste should be avoided or minimized wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

- · 14.1 UN-Number
- · ADR, IMDG, IATA

UN1866

(Contd. on page 8)

Printing date 22.05.2024 Version number 1 Revision: 22.05.2024

Trade name: Aerozane-BW

(Contd. of page 7) · 14.2 UN proper shipping name · ADR 1866 RESIN SOLUTION, ENVIRONMENTALLY **HAZARDOUS** · IMDG RESIN SOLUTION, MARINE POLLUTANT · IATA **RESIN SOLUTION** · 14.3 Transport hazard class(es) · ADR, IMDG · Class 3 Flammable liquids. · Label · IATA · Class 3 Flammable liquids. · Label · 14.4 Packing group · ADR, IMDG, IATA II · 14.5 Environmental hazards: • Marine pollutant: Symbol (fish and tree) · Special marking (ADR): Symbol (fish and tree) · 14.6 Special precautions for user Warning: Flammable liquids. · EMS Number: F-E,S-E · Stowage Category В · 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. · Transport/Additional information: · ADR · Limited quantities (LQ) 5L Excepted quantities (EQ) Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml · UN "Model Regulation": UN 1866 RESIN SOLUTION, 3, II, ENVIRONMENTALLY **HAZARDOUS**

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- **Poisons Act**
- · Regulated explosives precursors

None of the ingredients are listed.

(Contd. on page 9)

Version number 1 Printing date 22.05.2024 Revision: 22.05.2024

Trade name: Aerozane-BW

(Contd. of page 8)

· Regulated poisons

None of the ingredients are listed.

· Reportable explosives precursors

None of the ingredients are listed.

· Reportable poisons

None of the ingredients are listed.

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

Hazard pictograms









GHS02

GHS07

GHS08

GHS09

· Signal word Danger

· Hazard-determining components of labelling:

heptane

Naphtha (petroleum), heavy alkylate Naphtha (petroleum), light alkylate

· Hazard statements

H225 Highly flammable liquid and vapour.

H315 Causes skin irritation.

H336 May cause drowsiness or dizziness.

H304 May be fatal if swallowed and enters airways.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

Read carefully and follow all instructions. P103

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

P321 Specific treatment (see on this label).

Do NOT induce vomiting. P331

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water

[or shower].

P362+P364 Take off contaminated clothing and wash it before reuse.

Store locked up. P405

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients are listed.

· Seveso category

E1 Hazardous to the Aquatic Environment

P5c FLAMMABLE LIQUIDS

- · Qualifying quantity (tonnes) for the application of lower-tier requirements 100 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t
- · National regulations:

The components of this product are listed on the USA (TSCA) inventory.

The components of this product are listed on the Canadian (DSL) inventory.

(Contd. on page 10)

Printing date 22.05.2024 Version number 1 Revision: 22.05.2024

Trade name: Aerozane-BW

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

(Contd. of page 9)

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H312 Harmful in contact with skin.

H315 Causes skin irritation.

H336 May cause drowsiness or dizziness.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

H413 May cause long lasting harmful effects to aquatic life.

Procedure used to derive the classification

Test data.

Calculation method.

· Contact: contact@frasersaerospace.com

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

ATE: Acute toxicity estimate values

Flam. Liq. 2: Flammable liquids - Category 2

Flam. Liq. 3: Flammable liquids – Category 3

Acute Tox. 4: Acute toxicity - Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

Asp. Tox. 1: Aspiration hazard - Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

 $A quatic\ Chronic\ 1: Hazardous\ to\ the\ aquatic\ environment\ -\ long\ -term\ aquatic\ hazard\ -\ Category\ 1$

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2

Aquatic Chronic 4: Hazardous to the aquatic environment - long-term aquatic hazard - Category 4

* * Data compared to the previous version altered.